

# **SZUTEST**

## **CERTIFICATION MARKS GUIDELINES**

As a result of positive conformity assessment activity of Szutest, you will have the right to use our certification marks. Using these certification marks will create an added value to your company and products and provide better position in your market.

Certification marks are generally displayed on websites, packaging, products or in advertising materials, brochures.

## GENERAL RULES

- Minimum height of the certification marks shall be protected.
- When resizing for bigger dimensions aspect ratio shall be kept.
- Dark background compatible version of marks shall be used on dark backgrounds.
- Marks shall only be used with original colors. Color codes are presented below.
- Marks shall only be used in case of a valid certification or report.
- Marks shall not be combined with any other text, mark, image other than Szutest's certification marks.
- Mark usage violations and unauthorized mark usage will have legal consequences.

## MARKS COLOR CODES



### HOW CAN I REACH THE MARKS?

Marks can be downloaded from the link below.

[www.szutest.com/documents/](http://www.szutest.com/documents/)

### HOW CAN I REACH FURTHER INFORMATION?

Details of certification mark usage is documented in our PR.10 procedure.

This procedure can be downloaded from the link below.

[www.szutest.com/documents/](http://www.szutest.com/documents/)

## MANAGEMENT SYSTEM MARKS FOR COMPANIES

Management System Marks can be used by companies who certified by Szutest. These marks are presented in rectangular form with "CERTIFIED" and "COMPANY" expressions and with mentioning the number of management system standard.



Minimum height: 3 cm

## CERTIFIED PRODUCT MARK

This mark can be used for products holding a product certificate issued by Szutest. This mark is presented in rectangular form with "APPROVED" and "PRODUCT" expressions.



Minimum height: 2,4 cm

## TESTED PRODUCT MARK

This mark can be used for products holding a testing report issued by Szutest Laboratories. This mark is presented in rectangular form with "TESTED" and "PRODUCT" expressions. This mark shall only be used in direct connection with tested product.



Minimum height: 2,4 cm

## INSPECTION MARK

This mark can be used for products, facilities, processes and services that are inspected by Szutest according to ISO 17020 standard. This mark is presented in rectangular form with "INSPECTED" expression.



Minimum height: 2,1 cm

## USING MORE THAN ONE MARK IN COMBINATION

In case of a company gains right to use more than one certification mark and would like to use them in combination, **the marks must be aligned from the top**. Also **mark frames must have at least 1 cm of distance between each mark**.

